

## Storm NVR's Email Notification

## How to set up Email Notification

1. Be sure to allow less secure apps sign-ins on the gmail account you want to use to send email. This is done in the setting section of your gmail account.

Welcome	Allow less secure apps: ON
Sign-in & security	Some non-Google apps and devices use less secure sign-in technology, which
Signing in to Google	(which we recommend) or choose to use them despite the risks.
Device activity & notifications	
Connected apps & sites	

2. Make sure your NVR has an internet connection. To verify, go to Setting then select Network and finally P2P. Status should say Connect Success when you enable it.

-	NETWORK					
т	CP/IP					
Р	ORT	Enable				
P	PPOE	To assist you in remotely managing your device, the P2P will be enabled. After enabling P2P and connecting to Internet, we need to collect IP				
C	DNS	address, MAC address, device name, device SN, etc. All collected info is				
ι	JPnP	If you don't agree to e	If you don't agree to enable P2P function, please deselect the check box			
E	MAIL					
	SNMP	Status				
	MULTICAST	Cellphone client		Device SN		
	ALARM CENTER					
1	REGISTER			<b>发展趋势</b>		
	switch	· · · · · · · · · · · · · · · · · · ·				
	P2P	Scan QR to download		5L01DBAPAZBA11A		
	802.1x					
		Constant of the owner of the owner of the				





If you can't connect, something is wrong with the IP address of the machine or the network. Go to Setting then selection Network and finally click on TCP/IP and verify that you're on the right range with the right gateway. You can also activate DHCP.

TCP/IP				
PORT	Ethernet	IP Address Net Mode NIC 192,168,2.92 Single NIC	Member Edit	Unbind
PPPoE				
DDNS				
UPnP				
EMAIL				
SNMP	MAC Address: 0	Red ed: 1a:b4:48 Subnet Mas	eway: 192.108.2.1	MTU: 1500
MULTICAST		Jed.ed.14.04.46 Subiret mas	N. 200.200.200.0	Mode.Dricp
ALARM CENTER	IP Version	IPv4 👻	рнср	
REGISTER	Preferred DNS	192 . 168 . 2 . 1		
SWITCH	Alternate DNS	3.8.8.8		
P2P	Default Card	Ethernet Port1 🔹		
802.1x				
	Test			Apply
		DHILIDS		-





3. When you're online, go to Setting, then Network and finally Email.

INETWORK			
тср/ір	Frankla		
PORT	Enable		
PPPoE	SMTP Server	smtp.gmail.com	
DDNS	Port	465	
LIPnP	Username	dboisvert4@gmail.com	
EMAIL	Password	••••••	
SNMP	Anonymous		
SNMP			
MULTICAST	Receiver	Receiver1	
ALARM CENTER	Email Address	cdesrochers@outlook	
REGISTER	Sender	dboisvert4@gmail.com	
SWITCH	Subject	TEST NAME	
P2P	Attachment		
802.1x	Encryption Type	SSL *	
			3
	Health Enable		
	Interval	60 Min.	
	Test		Apply
		PHILIPS	

- 4. On the SMTP field, you should put smtp.gmail.com and Port : 465.
- 5. On User Name and Password, you have to put the login info of the account you want to use to send the emails.
- 6. Receiver : that's where you put recipient email address.
- 7. Subject : the subject of the email (NVR Alert by default).
- 8. Encryption Type : Encryption is REQUIRED with gmail.

If you're using SSL, the port has to be 465. If you're using TLS, the port has to be 587.

9. Once these settings are configured, click TEST and if it works, you should see a 'Test Normal' message.

